EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(("6601087") or ("6654032")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:25
S2	7280	(709/204,206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:27
S3	39	(schedul$4) with (meet$4 or conferenc$4) same (transmit$4 or send$4) with (id or identification) and ((@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:39
S4	2	("7185054").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:35
S5	50	video with (meet$4 or conferenc $4) same (transmit$4 or send$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:39
S6	8	video with (meet$4 or conferenc $4) same (transmit$4 or send$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49
S7	20	(set$up) with (conferenc$4 or meet$4) same telephone same computer and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:48
S8	226	(server with host$4 with conferenc $4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:48
S9	9899	(transmit$4 or send$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49

S10	153006	(transmit$4 or send$4) with (id or identification) withtelephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49
S11	6196	(transmit$4 or send$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:50
S12	2971	(transmit$4 or send$4) with (id or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:50
S13	30	(transmit$4 or send$4) with (id or identification) near4 telephone same (conference or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:55
S14	7	(obtain$4) with (conference) near2 (ID or identification) same ("data center" or server) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:57
S15	2	(conference near2 server) with (send$4 or transmit$4) with (meeting or conference) near2 (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:03
S16	2	("20070192410").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:04
S17	2	("6760749").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:06
S18	2	("20030035527").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:07
S19	2	("5995608").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:09
S20	2	("6501740").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:09

S21	76	(video or audio) near3 (conferenc $4 or meeting) near3 set$up and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:00
S22	18	(establish$4 or set$up) with (video or audio) near3 (conferenc $4 or meeting) near3 (identification or ID) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:08
S23	29	server near3 host$4 with (video or audio) near4 (conferenc$4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:17
S24	2	(send$4 or transmit$4) near2 (video or audio) near4 (conferenc $4 or meet$4) near3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:21
S25	4	(send$4 or transmit$4) near2 (video or audio) near4 (conferenc $4 or meet$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:22
S26	6	(send$4 or transmit$4) near2 (video or audio) with (conferenc $4 or meet$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:23
S27	20	(computer near2 telephone) same (meeting or conferenc$4) near2 device and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:36
S28	109	(computer and telephone) with (connect$4 or coupl$4) with (conferenc$4 or meeting) near2 (device or computer or telephone) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:43
S29	0	telephone with conferenc$4 with push with start with meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S30	0	telephone same conferenc$4 same push same start same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27

S31	12	telephone same conferenc$4 same start same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S32	17	telephone same conferenc$4 same start$4 same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:28
S33	936	(send$4 or transmit$4) with start $4 with messag$4 with server and ((@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:40
S34	223	(computer or user) with (send$4 or transmit$4) with start$4 with messag$4 with server and ((@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:41
S35	5	(computer or user) near2 (send$4 or transmit$4) near3 start$4 with messag$4 with server and ((@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:41
S36	96	codec with encod$4 with message and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 14:44
S37	1	codec with encod$4 with message near2 (identification or ID) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 14:44
S38	0	PC$PSTN with adapter and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:42
S39	328533	adapter connect$4 with (computer or laptop) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:43
S40	251427	adapter connect$4 with (computer or laptop) with (online or video) with (meet$4 or conferenc$4) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:45
S41	4	adapter with connect$4 with (computer or laptop) with (online or video) with (meet$4 or conferenc$4) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:45

S42	2	("20030072429").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:48
S43	0	("2003/0072429").URPN.	USPAT	OR	OFF	2008/12/13 10:48
S44	4	(("6671262") or ("6807564")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:49
S45	662	bridg$4 with (computer or laptop) with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:54
S46	1600	tele$phone near3 adapter and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:54
S47	358	tele$phone near3 adapter same connect$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S48	265	tele$phone near3 adapter with connect$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S49	2	tele$phone near3 adapter with connect$4 with (computer or laptop or device) same conferenc $4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S50	971	(379/201.01).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:57
S51	2	S48 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:58
S52	3	S47 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:58
S53	86630	("379").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59

S54	110	S53 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S55	85	S53 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S56	1	tele$phone near3 adapter same connect$4 with (computer or laptop or device) near4 (conferenc $4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:05
S57	2	tele$phone near3 adapter same connect$4 with (computer or laptop or device) same (conferenc $4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S58	96	tele$phone near3 adapter same connect$4 with (computer or laptop or device) and (conferenc $4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S59	36	S58 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S60	2	("6175565").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:15
S61	226	(computer or user) with (send$4 or transmit$4) with start$4 with messag$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:26
S62	86630	("379").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
S63	86630	S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
S64	21	S62 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27

S65	358	tele$phone near3 adapter same connect$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
S66	358	S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
S67	3	S65 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
S68	6	adaptor with connect$4 with handset with base and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 11:23
S69	223	device with connect$4 with handset with base and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 11:29
S70	27	device with connect$4 near4 between with handset with base and ((@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 11:29
S71	2	computer with send$4 with start with meeting and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:48
S72	2	start$4 with meeting with command with computer and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:50
S73	9001	adaptor with connect$4 with computer same send$4 start$4 with (meet$4 or conferenc$4) and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:53
S74	0	adaptor with connect$4 with computer same send$4 with start $4 with (meet$4 or conferenc$4) and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:54
S75	214	adaptor near3 (caus$4 or send$4 or transmit$4) near2 (command or signal) and (@ad<="20030603" or @rlad="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 14:07

S76	9	adaptor near3 (caus$4 or send$4 or transmit$4) near2 (command or signal) near3 (computer or network) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 14:09
S77	4	(("6671262") or ("6807564")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 14:19
S78	2	("2003/0072429").URPN.	USPAT	OR	OFF	2009/06/10 14:22
S79	9092	nortel.as. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 08:59
S80	143	nortel.as. and telephone with (meeting or conferenc$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:00
S81	0	nortel.as. and telephone with start $4 near4 (meeting or conferenc $4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:19
S82	164	telephone with adaptor with computer and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:33
S83	1	telephone with adaptor with computer and computer with (send$4 or transmit$4) with (conferenc$4 or meet$4) near5 adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:34
S84	4	(telephone with adaptor with computer).ab,ti. and (conferenc$4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:43
S85	104	(telephone with adaptor with computer).ab,ti. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:53
S86	1	(telephone with coupled with adaptor with computer).ab,ti. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:54

S87	15	telephone with bridge with computer with data near3 network and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 10:03
S88	1279	(379/202.01,202.02).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 10:15
S89	14	S88 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 10:15
S90	2970	(video near3 (conferenc$4 or meet $4)) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 11:48
S91	0	(video near3 (conferenc$4 or meet $4)) with telephone with push$4 with start$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 11:51
S92	13	(video near3 (conferenc$4 or meet $4)) with telephone and push$4 with start$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 11:51
S93	4	(video near3 (conferenc$4 or meet $4)) with telephone same adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:09
S94	9	(video near3 (conferenc$4 or meet $4)) with telephone same (receiv $4 or transmit$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:18
S95	2	nortel.as. and video near3 (conferenc$4 or meet$4) with set $up and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:21
S96	214	nortel.as. and video near3 (conferenc$4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:22
S97	143	nortel.as. and telephone with (meeting or conferenc$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:23

S98	144	S96 not S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:23
S99	9	data near3 conferenc$4 near4 appliance and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:54
S100	19	telephone near4 manag$4 near4 conferenc$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:54
S101	0	computer near3 request$4 with (conferenc$4 or meet$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:22
S102	1	computer near4 (send$4 or tranmsit$4) with (ID or identification) with adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:43
S103	107	computer near4 (send$4 or tranmsit$4) with (ID or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:43
S104	1488	computer near4 (send$4 or tranmsit$4) near4 (ID or identification) near4telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:44
S105	20	computer near4 (send$4 or tranmsit$4) near4 (ID or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:44
S106	821	computer near4 (send$4 or tranmsit$4) near4 (ID or identification) near4 (computer or device or adaptor or telephone or proxy) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:55
S107	79	(computer near4 (send$4 or tranmsit$4) near4 (ID or identification) near4 (computer or device or adaptor or telephone or proxy)).ab.ti. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:55
S108	76	S107 not S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:56

S109	0	computer near4 (send$4 or tranmsit$4) near4 (meet$4 or conferenc$4) adj2 (ID or identification) near4 (computer or device or adaptor or telephone or proxy) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:56
S110	2	computer near4 (send$4 or tranmsit$4) near4 (meet$4 or conferenc$4) near4(ID or identification) near4 (computer or device or adaptor or telephone or proxy) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:56
S111	4	nortel.as. and video near3 (conferenc$4 or meet$4) same S P and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:59
S112	1	telephone with receiv$4 near3 (meeting or conference) adj3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:04
S113	1	telephone with receiv$4 near3 (meet$4 or conferenc$4) adj3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:05
S114	1	(telephone or adaptor) with receiv $4 near3 (meet$4 or conferenc $4) adj3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:05
S115	20	(telephone or adaptor) with receiv $4 with (meet$4 or conferenc$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:06
S116	224	receiv$4 with (meet$4 or conferenc$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:10
S117	15	computer with receiv$4 with (meet $4 or conferenc$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:11
S118	5	computer near4 (send$4 or tranmsit$4) near4 (data or information or ID or identification) near4 adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:30

S119	307	computer near4 (send$4 or tranmsit$4) near4 (data or information or ID or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:31
S120	1	computer near4 (send$4 or tranmsit$4) near4 (data or information or ID or identification) near4 telephone same conferenc $4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:32
S121	36	(computer or device) near3 (send $4 or transmit$4 or receiv$4) near4 (Id or identification) with (conferenc$4 or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:46
S122	197	telephone and (send$4 or transmit $4 or receiv$4) near4 (Id or identification) with (conferenc$4 or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:52
S123	3	bridge near3 receiv$4 near4 (ID or identification) same (meet$4 or conferenc$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:59
S124	2	("7421469").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 13:14
S125	165	computer with telephone with adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 13:19
S126	0	computer with telephone with adaptor with (collaboration or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 13:19
S127	0	computer with telephone with adaptor same (collaboration or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 13:19
S128	9	computer with telephone with adaptor and(collaboration or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 13:20

S129	0	("204,205,207").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 14:24
S130	6822	(709/204,205,207).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/04/19 14:24
S131	12	S130 and (telephone or phone) near3 (adaptor or connector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/04/19 14:24
S132	2	("6665392").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/06/01 09:48
S133	143953	("455").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/06/01 14:05
S134	18741	("l14" or "l13" or "l11")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 14:38

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S135	76267	("455").CLAS.	USPAT; UPAD	OR	OFF	2010/06/01 14:05
S136	6	computer with telephone with adaptor and (collaboration or meeting) and (@ad<="20030603" or @rlad<="20030603")	USPAT; UPAD	OR	OFF	2010/06/01 14:05
S137	12	computer same telephone same adaptor and (collaboration or meeting) and (@ad<="20030603" or @rlad<="20030603")	USPAT; UPAD	OR	OFF	2010/06/01 14:07
S138	6	S137 not S136	USPAT; UPAD	OR	OFF	2010/06/01 14:07
S139	151	receiv$4 with (meet$4 or conferenc$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	USPAT; UPAD	OR	OFF	2010/06/01 14:08
S140	1194	(379/67.1,204.01,900).CCLS.	USPAT; UPAD	OR	OFF	2010/06/01 14:10
S141	6	telephone near4 adaptor same (conferenc $4 or meet$4) and (@ad<="20030603" or @rlad<="20030603")	USPAT; UPAD	OR	OFF	2010/06/01 14:10

S142	73	telephone near4 adaptor and(conferenc$4 or meet$4) and (@ad< = "20030603" or @rlad< = "20030603")	USPAT; UPAD	OR	OFF	2010/06/01 14:11
S143	1	S142 and S140	USPAT; UPAD	OR	OFF	2010/06/01 14:11
S144	3767	(709/204,205,207).CCLS.	USPAT; UPAD	OR	OFF	2010/06/01 14:33
S145	80858	S135 or S140 or S144	USPAT; UPAD	OR	ON	2010/06/01 14:33
S146	1840	(455/415,416,417,428).CCLS.	USPAT; UPAD	OR	OFF	2010/06/01 14:38
S147	2030	(379/67.1,202.01,204.01,900).CCLS.	USPAT; UPAD	OR	OFF	2010/06/01 14:38
S148	6624	("l14" or "l13" or "l11")	USPAT; UPAD	OR	ON	2010/06/01 14:38
S149	0	S148 and (telephone with adaptor)	USPAT; UPAD	OR	ON	2010/06/01 14:39
S150	1	S148 and (adaptor) with (conferenc$4 or meet$4)	USPAT; UPAD	OR	ON	2010/06/01 14:39
S151	81507	S147 or S146 or S145	USPAT; UPAD	OR	ON	2010/06/01 14:40
S152	7	(adaptor) with (conferenc$4 or meet$4) and S151	USPAT; UPAD	OR	ON	2010/06/01 14:40
S153	76267	("455").CLAS.	USPAT; UPAD	OR	OFF	2010/06/02 09:52
S154	1194	(379/67.1,204.01,900).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 09:52
S155	3767	(709/204,205,207).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 09:52
S156	80858	S153 or S154 or S155	USPAT; UPAD	OR	ON	2010/06/02 09:52
S157	1840	(455/415,416,417,428).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 09:52
S158	2030	(379/67.1,202.01,204.01,900).CCLS.	USPAT; UPAD	OR	OFF	2010/06/02 09:52
S159	81507	S158 or S157 or S156	USPAT; UPAD	OR	ON	2010/06/02 09:52
S160	0	brdige with (adaptor) with (conferenc$4 or meet$4) and S159	USPAT; UPAD	OR	ON	2010/06/02 09:52
S161	0	bridge with (adaptor) with (conferenc$4 or meet$4) and S159	USPAT; UPAD	OR	ON	2010/06/02 09:52
S162	1	bridge with (adaptor) with telephone and S159	USPAT; UPAD	OR	ON	2010/06/02 09:52
S163	1	bridge with (adaptor) same telephone and S159	USPAT; UPAD	OR	ON	2010/06/02 09:52
S164	6	bridge with (adaptor) same telephone	USPAT; UPAD	OR	ON	2010/06/02 09:53
S165	455	bridge with telephone with Internet	USPAT; UPAD	OR	ON	2010/06/02 09:55
S166	49	bridge with telephone with Internet and S159	USPAT; UPAD	OR	ON	2010/06/02 09:55

| S167 | 34 | bridge with telephone with Internet and (conferenc$4 or meet$4) and S159 | USPAT; UPAD | OR | ON | 2010/06/02 09:55 |
| S168 | 9 | bridge with telephone with Internet and (identification or ID) same (conferenc$4 or meet$4) and S159 | USPAT; UPAD | OR | ON | 2010/06/02 09:56 |

6/ 2/ 2010 11:16:25 AM
C:\ Documents and Settings\ btiv\ My Documents\ EAST\ Workspaces
\ 10699103_conference_setup_phones.wsp